

32 KPs 40 KPs 0.2 KPs 209 °C 697.9°C 551.5°C 541.2°C 592.8°C 603.0°C 602.1 °C 602 Ruit Log Date with Emmisions gmittion Relay 용용 13 Dec 2002 11:31:17 Manual Mode pgCatl_A_h pgCatl_B_h pgCatl_h tgymo_Water_C En A.Crit En A.Crit En B.Crit En B.Crit En B.Crit En B.Crit En B.Crit Cont. B.In Cont. B úas emitos Ost emitos Logac 1306, 137202, OBI 0.25 MB 1004 RPM 293.3 Nm 30.8 KW General
Control Mode:
Lest Shutdown:
hate:
Log File 1736 colmin 0.4 kPa 32.8 °C 14.8 °C 12.9 °C 15.4 °C Dynr Vibradian Diffse Bad Dynr Vibradian Non Diffse En 1 1 1 0 W @ Rationals Vanatur II. | Balanta Procedus Ed. Ricado TA (Manager) Torque Powerkw [c] Drive_Torque Engine_Speed LEGR_IN
PAEGR_OP
LEGR_Out
LFuel_Filter_in
Fuel_Mater_Temp tfuel Reil pgfuel filler in Max fuel flow Stage: Manual Eyents Time Left: 20 days, 19:59:21 D ISIO (1) [B 41 H T B M ST S H ISI B ISI Executing Procedure: Defaults 101.9 kP&A ew Cro Just Teathor 13.6 102.483 kPa 102.5 kPa 13.8 °C 24.5 °C 13.828 'ATDC 3.14 0.638 % 47.037 bar 108912 8.000 Barometric Press Humidity Referen-Cell Ambiant Terr WYOX_Inst WHC_Inst, WHC_Inst, 器 cMAP pebsMap iPas MStat F. TartMaster WatStal MT Tadblatter Solio ė Dopot Edi Yen Ica Logs Tgat Medon Hab Fotal Time: 0 days, 00:00:00 Englyg CASO
Englyg CASO
Englyg CAL, Intensity
Englyg COV (MEP
Englyg Prnax
CASCycle, Number
CAS_Ruruting 534.8 ppmc 3055.80 ppm 14.35.1 0.39 Lambda 0.39 Lambda 0.39 Lambda All Clear 0.424 %Vel 0.1 %Vel 14.605 %Vel 0.303 % S Test Detalls Status: Alarms: dOO, H, Inst dOO, Inst dOO, Inst wiff, Inst Run; Resud Kistlens Run: CAS Start Rur CAS Stop On Line J. 38.m., D4 For Holy, press FI

Fig 2a




Fig 2b